	Application No.	Applicant(s)
Notice of Allowability	10/809,350	SOHN et al.
	Examiner	Art Unit
	Lee, Calvin	2825
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. ☑ The allowed claim(s) is/are <u>1-13</u> .		
3. The drawings filed on 26 March 2004 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)		
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn	
Paper No./Mail Date 7/19/04 4. Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9.	
-	- 	

Application No: 10/809,350 Page 2
Docket No: P68552US1 SOHN et al.

OFFICE ACTION

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312 IN THE SPECIFICATION:

Page 1, after the title please insert -- This application is a divisional of US Application 10/331,590, filed December 31, 2002 and issued as US Patent 6,767,780--

Allowable Subject Matter

2. Claims 1-13 are allowed. Following is the reason for allowance:

US 6,469,347 to *Oda et al* discloses a first conductive type source/drain region **84** formed at the edges of spacers **10**, a second conductive type punch stop layer **61** formed in a region between the first conductive type source/drain region, and a first conductive type source/drain extension region **82** occupying an extended region from the first conductive type source/drain region **84** to the both edges of a gate electrode **4** [Fig. 1 and cols. 5-6]. US 5,500,379 to *Odake et al* discloses a first conductive type region **4**, 7 being adjoined to a source/drain region **3**, **6** and contacted by a punch stop layer **5**, 7 [Fig. 3a & 3b respectively]. None of the cited arts discloses, *inter alia*, a lightly-doped drain (LDD) region surrounding a source/drain extension region.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

4. Any inquiry concerning this communication from the Examiner should be directed to *Calvin Lee* at (571) 272-1896 from 7:00 to 17:00 (Monday-Thursday). If attempts to reach the examiner by telephone are unsuccessful, Art Unit 2825's Supervisory Patent Examiner *Matthew Smith* can be reached at (571) 272-1907.

Any inquiry relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0596. The central fax number is (703) 872-9306 for all communications to be entered (e.g., amendments, remarks, IDS, etc.)

СL

MATTHEW SMITH

Mie SS

SUPERIVISOR TENT EXAMINE